

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
RELEASE 1.4Welcome
United States Patent and Trademark OfficeHelp FAQ Terms IEEE Peer Quick Links
Review

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out


Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library
-  Print Format

Your search matched **20** of **932004** documents.

A maximum of **20** results are displayed, **25** to a page, sorted by **Relevance** in **descending** order. You may refine your search by editing the current search expression or entering a new one then click **Search Again**.

(vga or variable gain amplifier) and differential amplifier

[Search Again](#)**Results:**Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD****1 GaAs HBT 0.75-5 GHz multifunctional microwave-analog variable gain amplifier**

Kobayashi, K.W.; Ip, K.T.; Oki, A.K.; Umemoto, D.K.; Claxton, S.; Pope, M.;
Gallium Arsenide Integrated Circuit (GaAs IC) Symposium, 1993. Technical I
1993., 15th Annual , 10-13 Oct 1993
Page(s): 239 -242

[\[Abstract\]](#) [\[PDF Full-Text \(248 KB\)\]](#) **IEEE CNF****2 GaAs HBT 0.75-5 GHz multifunctional microwave-analog variable gain amplifier**

Kobayashi, K.W.; Ip, K.T.; Oki, A.K.; Umemoto, D.K.; Claxton, S.; Pope, M.;
Solid-State Circuits, IEEE Journal of , Volume: 29 Issue: 10 , Oct 1994
Page(s): 1257 -1261

[\[Abstract\]](#) [\[PDF Full-Text \(396 KB\)\]](#) **IEEE JNL****3 A portable EEG recording system**

Drakulic, B.S.; Berry, S.J.; Sterman, M.B.;
Engineering in Medicine and Biology Society, 1989. Images of the Twenty-Fifth
Proceedings of the Annual International Conference of the IEEE Engineering
Nov 1989
Page(s): 1395 -1396 vol.5

[\[Abstract\]](#) [\[PDF Full-Text \(100 KB\)\]](#) **IEEE CNF****4 A 25 MHz 20 dB variable gain amplifier**

Hadidi, K.; Kobayashi, H.;

Instrumentation and Measurement Technology Conference, 1994. IMTC/94. Proceedings. 10th Anniversary. Advanced Technologies in I & M., 1994 IEEE May 1994

Page(s): 780 -783 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(216 KB\)\]](#) **IEEE CNF**

5 A 110 MHz 70 dB CMOS variable gain amplifier

Mostafa, M.; Elwan, H.; Bellaour, A.; Kramer, B.; Embabi, S.H.K.;

Circuits and Systems, 1999. ISCAS '99. Proceedings of the 1999 IEEE International Symposium on , Volume: 2 , Jul 1999

Page(s): 628 -631 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(256 KB\)\]](#) **IEEE CNF**

6 A DC to 1-GHz differential monolithic variable-gain amplifier

Meyer, R.G.; Mack, W.D.;

Solid-State Circuits, IEEE Journal of , Volume: 26 Issue: 11 , Nov 1991

Page(s): 1673 -1680

[\[Abstract\]](#) [\[PDF Full-Text \(476 KB\)\]](#) **IEEE JNL**

7 The development of high precision EEG amplifier for the computerized analysis

Yoo, S.K.; Kim, N.H.; Kim, S.H.; Kim, J.L.;

Engineering in Medicine and Biology Society, 1995. IEEE 17th Annual Conference Volume: 2 , 20-23 Sep 1995

Page(s): 1651 -1652 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(172 KB\)\]](#) **IEEE CNF**

8 A monolithic wideband variable gain amplifier with a high gain range and low distortion

van Lieshout, P.J.G.; van de Plassche, R.J.;

Solid-State Circuits Conference, 1997. Digest of Technical Papers. 44th IEEE International , 6-8 Feb 1997

Page(s): 358 -359, 485

[\[Abstract\]](#) [\[PDF Full-Text \(1176 KB\)\]](#) **IEEE CNF**

9 10-MHz 60-dB dynamic-range 6-dB variable gain amplifier

Leung, L.H.Y.; Buchwald, A.;

Circuits and Systems, 1997. ISCAS '97., Proceedings of 1997 IEEE International

Symposium on , Volume: 1 , 9-12 Jun 1997

Page(s): 173 -176 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(444 KB\)\]](#) **IEEE CNF**

**10 L w voltage digitally controlled dB-linear CMOS VGA circuit for wi
communication**

Elwan, H.O.; Ismail, M.;

Electronics, Circuits and Systems, 1998 IEEE International Conference on , V
1998

Page(s): 341 -344 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(300 KB\)\]](#) **IEEE CNF**

**11 A 2 V 7.2° jitter AM-suppression CMOS amplifier using current-mo
magnitude control**

Wang, C.-K.; Huang, K.-H.; Yang, T.-H.; Deng, T.-L.;

Solid-State Circuits Conference, 1998. Digest of Technical Papers. 45th ISSC
IEEE International , 5-7 Feb 1998

Page(s): 326 -327, 457

[\[Abstract\]](#) [\[PDF Full-Text \(996 KB\)\]](#) **IEEE CNF**

12 A 1.5 V CMOS VGA based on pseudo-differential structures

Green, M.M.; Joshi, S.;

Circuits and Systems, 2000. Proceedings. ISCAS 2000 Geneva. The 2000 IEE
International Symposium on , Volume: 4 , 2000

Page(s): 461 -464 vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(228 KB\)\]](#) **IEEE CNF**

13 A digitally programmable VGA [variable gain amplifier]

Sanz, T.; Calvo, B.; Celma, S.; Moran, C.;

Circuits and Systems, 2001. MWSCAS 2001. Proceedings of the 44th IEEE 20
Midwest Symposium on , Volume: 2 , 2001

Page(s): 602 -605 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(195 KB\)\]](#) **IEEE CNF**

**14 A gain boosting method at RF frequency using active feedback and
application to RF variable gain amplifier (VGA)**

Kwang-Jin Koh; Yong-Sik Youn; Hyun-Kyu Yu;

Circuits and Systems, 2002. ISCAS 2002. IEEE International Symposium on
, 2002

Page(s): III-89 -III-92 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(479 KB\)\]](#) **IEEE CNF**

15 CMOS fully differential s cond-generation current conveyor

Alzaher, H.A.; Elwan, H.O.; Ismail, M.;

Electronics Letters , Volume: 36 Issue: 13 , 22 Jun 2000

Page(s): 1095 -1096

[\[Abstract\]](#) [\[PDF Full-Text \(152 KB\)\]](#) **IEE JNL**

16 CMOS low-distortion high-frequency variable-gain amplifier

Rijns, J.J.F.;

Solid-State Circuits, IEEE Journal of , Volume: 31 Issue: 7 , Jul 1996

Page(s): 1029 -1034

[\[Abstract\]](#) [\[PDF Full-Text \(524 KB\)\]](#) **IEEE JNL**

17 A power-efficient, low-distortion variable gain amplifier consisting coupled differential pairs

van Lieshout, P.J.G.; van de Plassche, R.J.;

Solid-State Circuits, IEEE Journal of , Volume: 32 Issue: 12 , Dec 1997

Page(s): 2105 -2110

[\[Abstract\]](#) [\[PDF Full-Text \(124 KB\)\]](#) **IEEE JNL**

18 Digitally programmable decibel-linear CMOS VGA for low-power mixed-signal applications

Elwan, H.O.; Ismail, M.;

Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transact

Volume: 47 Issue: 5 , May 2000

Page(s): 388 -398

[\[Abstract\]](#) [\[PDF Full-Text \(264 KB\)\]](#) **IEEE JNL**

19 Adaptive analog IF signal processor for a wide-band CMOS wireles

Behbahani, F.; Karimi-Sanjaani, A.; Wee-Guan Tan; Roithmeier, A.; Leete, J

Hoshino, K.; Abidi, A.A.;

Solid-State Circuits, IEEE Journal of , Volume: 36 Issue: 8 , Aug 2001

Page(s): 1205 -1217

[\[Abstract\]](#) [\[PDF Full-Text \(300 KB\)\]](#) **IEEE JNL**

20 A new generation of global wireless compatibility*Elwan, H.; Alzaher, H.; Ismail, M.;*

IEEE Circuits and Devices Magazine , Volume: 17 Issue: 1 , Jan 2001

Page(s): 7 -19

[Abstract] [PDF Full-Text (2024 KB)] IEEE JNL

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2002 IEEE — All rights reserved

The screenshot displays a patent search application interface. On the left, a tree view shows the search history with categories: Pending, Active, Failed, and Saved. The 'Active' category is expanded, showing a list of patent entries with their document IDs and issue dates. The 'Failed' category is also expanded, showing a list of patent entries with their document IDs and issue dates. The 'Saved' category is expanded, showing a list of patent entries with their document IDs and issue dates.

On the right, a detailed view of a patent entry is shown. It includes a search bar with the text 'USPAT: US-PG-PUB: EPD: JPD: DERWENT: IBM: TDB'. Below the search bar, there is a checkbox for 'Plurals' and a checkbox for 'Highlight all hit terms initially'. The search results are displayed in a table with columns: Document ID, Issue Date, Pages, Title, Current DR, and Current XRef.

Document ID	Issue Date	Pages	Title	Current DR	Current XRef
US 4588968 A	19860513	5	Low noise constant amplitude oscillator circuit	331/109	331/117R; 331/183
US 4415864 A	19831115	7	Variable-gain amplifier stage equipped with field-effect transistors	330/253	330/261
GB 2070359 A	19810903	7	Variable-gain amplifier stage - has differential FET pairs, controlled tail-current source and gain control with load signal resistance being function of control		

At the bottom of the interface, there is a status bar with buttons for 'Hits', 'Details', and 'HTML'. The 'HTML' button is currently selected.